

MAJOR CLASSIFICATION INDEX OF ARTICLES

ANALYTICAL METHODS

Combined CBD-MAGIC method for determination of P associated with sedimentary Fe oxyhydroxides 2108–2115

Rapid and precise procedure for Pb isotopes in blood 807–813

Rapid determination of chemical and physical properties in marine sediments 1637–1647

Stable isotope composition of CO₂ from cores of argillites 713–725

Data handling

Comparison between heavy metal concentrations in sediments analysed by 2 methods: analysis on detection limits and data quality 1737–1745

Dealing with outliers and censored values in multi-element geochemical data 341–352

Sequential factor analysis as a new approach to multivariate analysis of heterogeneous geochemical datasets 2233–2251

Statistical characterization of a large geochemical database and effect of sample size 1857–1874

ENERGY RESOURCES

Petroleum and natural gas

Application of Mango's light hydrocarbon parameters to petroleum from Tarim Basin, China 545–551

Characterization of paraffinic deposits in crude oil storage tanks 1974–1983

Characterization of the H isotopic composition of *n*-alkanes in terrestrial source rocks 455–464

Effects of thermal cracking of hydrocarbons on the homogenisation temperature of fluid inclusions from the Niigata oil and gas fields 255–260

Geochemical and isotopic approach to maturity/source/mixing estimations of natural gas and associated condensates 2017–2037

Geochemistry of Tertiary saline lacustrine oils, China 1875–1889

Hydrothermal bitumen generated from sedimentary organic matter of rift lakes 2343–2350

Mass transfer of H₂O between petroleum and water: implications for oilfield water sample quality 1518–1532

Origin of S-rich oils and H₂S in Tertiary lacustrine sections of the Jinxian Sag, Bohai Bay Basin 1427–1444

ENVIRONMENTAL GEOCHEMISTRY

Acid drainage reassessment of mining tailings, Black Swan mine, Kalgoorlie 661–667

Acid mine drainage in the Iberian Pyrite Belt, geochemistry, mineralogy and environmental implications 1320–1356

Assessing river-groundwater exchange in the regulated Rhone River using stable isotopes and geochemistry 701–712

Arsenate and chromate incorporation into schwertmannite 1226–1239

MAJOR CLASSIFICATION INDEX OF ARTICLES

ANALYTICAL METHODS

Combined CBD-MAGIC method for determination of P associated with sedimentary Fe oxyhydroxides 2108–2115

Rapid and precise procedure for Pb isotopes in blood 807–813

Rapid determination of chemical and physical properties in marine sediments 1637–1647

Stable isotope composition of CO₂ from cores of argillites 713–725

Data handling

Comparison between heavy metal concentrations in sediments analysed by 2 methods: analysis on detection limits and data quality 1737–1745

Dealing with outliers and censored values in multi-element geochemical data 341–352

Sequential factor analysis as a new approach to multivariate analysis of heterogeneous geochemical datasets 2233–2251

Statistical characterization of a large geochemical database and effect of sample size 1857–1874

ENERGY RESOURCES

Petroleum and natural gas

Application of Mango's light hydrocarbon parameters to petroleum from Tarim Basin, China 545–551

Characterization of paraffinic deposits in crude oil storage tanks 1974–1983

Characterization of the H isotopic composition of *n*-alkanes in terrestrial source rocks 455–464

Effects of thermal cracking of hydrocarbons on the homogenisation temperature of fluid inclusions from the Niigata oil and gas fields 255–260

Geochemical and isotopic approach to maturity/source/mixing estimations of natural gas and associated condensates 2017–2037

Geochemistry of Tertiary saline lacustrine oils, China 1875–1889

Hydrothermal bitumen generated from sedimentary organic matter of rift lakes 2343–2350

Mass transfer of H₂O between petroleum and water: implications for oilfield water sample quality 1518–1532

Origin of S-rich oils and H₂S in Tertiary lacustrine sections of the Jinxian Sag, Bohai Bay Basin 1427–1444

ENVIRONMENTAL GEOCHEMISTRY

Acid drainage reassessment of mining tailings, Black Swan mine, Kalgoorlie 661–667

Acid mine drainage in the Iberian Pyrite Belt, geochemistry, mineralogy and environmental implications 1320–1356

Assessing river-groundwater exchange in the regulated Rhone River using stable isotopes and geochemistry 701–712

Arsenate and chromate incorporation into schwertmannite 1226–1239

- Arsenic (III) carbonate complexing 1218–1225
- Arsenic fractionation in fine soil and influence of anions on its mobility 229–239
- Arsenic in some iron-rich deposits generated by acid mine drainage 383–396
- Arsenic mobility in alteration products of sulfide-rich, arsenopyrite-bearing mine wastes 2303–2314
- Arsenic released to pore waters from buried mill tailings 947–959
- Attenuation of Ni, Zn and Cu by secondary Fe phases from surface and ground water on mine tailings 1180–1194
- Behaviour of S during diagenesis of a maritime ombrotrophic peat 1597–1605
- Cadmium adsorption on hydrous Al_2O_3 529–536
- Chemical and physical properties of Fe hydroxide precipitates from passively treated coal mine drainage 1445–1460
- Controls on roxarsone transport in agricultural watersheds 123–133
- Deciphering the presence of wastewater in a Mediterranean catchment using multitracers 1587–1596
- Did an extensive forest develop on the Chinese loess Plateau during the past 130 ka? Evaluation using C isotopes 519–527
- Differentiating dilution and retention processes in mine effluent remediation within a natural wetland 1241–1257
- Drought induced pulses of SO_4^{2-} from a wetland: use of ^{34}S and ^{18}O to determine S sources 691–700
- Effect of addition of gypsum- and lime-rich industrial products on Cd, Cu and Pb availability in acid soils 397–408
- Evolution of the aqueous geochemistry of coal mine pit lakes – Massif Central, France 825–839
- Fate of major constituents, Cr and other trace metals when acid waters mix with stream waters 1368–1390
- Fertiliser characterisation: major, trace and rare earth elements 1473–1488
- Geochemistry and mineralogy of Aegean Sea surface sediments 69–88
- Geochemistry and stable isotopes of the Berkley pit lake 2116–2137
- Growth and Cu accumulation by plants grown on tailings 101–107
- Heavy metal distribution and accumulation in 2 *Spartina* sp. dominated macrotidal salt marshes 1195–1208
- Historical backcasting of metal concentrations in the Chattahoochee River, Georgia: Population growth and environmental policy 2315–2324
- Historical deposition and fluxes of Hg in a reservoir, Colorado 207–220
- Hydrochemistry, mineralogy and S isotopes in acid mine drainage 789–805
- Hydrological and biogeochemical dynamics of minor and trace elements in the St. Lawrence River 1391–1408
- Impact of co-combustion of petroleum coke and coal on fly ash quality 1309–1319
- Impact of irrigation with As rich groundwater on soils and crops 1890–1906
- Impact of sulphide oxidation on dissolved metal inputs into the Lot–Garonne fluvial system 919–931
- Influence of upwelling Zechstein sulphate on the concentration and isotopic signature of sedimentary sulphides in a sand aquifer 261–274

- Investigation of time-dependent reactions of H^+ with variable and constant charge soils 169–178
 Kinetics of element release during combined oxidation and pH_{stat} leaching of anoxic river sediments 1169–1179
 Laboratory study of calcite–gypsum sludge–water interactions in a flooded tailings impoundment 973–987
 Lead isotopes in tap water: implications for lead sources 353–365
 Management scenarios for the Jordan River salinity crisis 2138–2153
 Measurement of labile metals in acid rock drainage springs 1533–1545
 Mercury and methylmercury in riparian soil, sediments, mine-waste calcines and moss from abandoned Hg mines 627–638
 Mercury contamination in Maraon Lagoon, Adriatic Sea 1546–1559
 Metal mobility by de-icing salt from an infiltration trench for highway runoff 1907–1919
 Methane oxidation: isotope enrichment factors in freshwater boreal reservoirs 683–690
 Microbial Fe(III) reduction in a minerotrophic wetland 1120–1130
 Mineral quantification for wall rocks in open-pit mines 135–156
 Net alkalinity and net acidity 2: Practical considerations 1941–1965
 Net alkalinity and net acidity 1: Theoretical considerations 1920–1940
 Nitric acid soluble fractions of 21 elements in Norwegian podzols 1258–1267
 Physico-chemical parameters of water associated with bio-precipitation of hydrozincite 507–517
 Possibilities of reflectance spectroscopy for assessment of contamination of urban soil 1051–1059
 Radon in soil gas: identification of anomalies due to earthquakes 1106–1119
 Reconstructing seawater column ^{90}Sr based on $^{210}Pb/^{226}Rn$ disequilibrium dating of mollusc shells 1965–1973
 Release, transport and attenuation of metals from an old tailings impoundment 639–659
 Role of “excess” CO_2 on the formation of trona deposits 2217–2232
 Schwertmannite precipitated from acid mine drainage: phase transformation, sulphate release and surface properties 179–191
 Selenium mobilization during a flood experiment in a contaminated wetland 569–585
 Single particle characterization of size-fractionated road sediments 849–859
 Sources of Sr and implications for weathering of limestone under tallgrass prairie 2325–2342
 Strontium isotope systematics of base flow in Piedmont Province watersheds 1571–1586
 Sulphide oxidation and natural attenuation of As and trace metals in waste from a W mine 1687–1703
 Sulphur mobility in peat 673–681
 The Amazon. Biogeochemistry applied to river basin management. Part 1. 1746–1829
 Trace elements in streambed sediments of small subtropical streams on O’ahu, Hawai’i 2157–2188
 Trace metal retention through the schwertmannite–goethite transformation 907–917

Geochemical mapping

- Application of multi-element statistical analysis for regional geochemical mapping in Japan 1017–1037
 Geochemical baselines for the radioelements K, U and Th in the Campania region 611–625
 Interpolation and mapping of probabilities for geochemical variables 157–168

Groundwater

- Arsenic and other drinking water quality issues, Muzaffargarh, Pakistan 55-68
- Arsenic associations in sediments from the loess aquifer of La Pampa 989-1016
- Baseline models of trace elements in major aquifers of the U.S. 1560-1570
- ^{36}Cl in modern groundwater dated by multi tracers: a case study in Quaternary sand aquifers 599-609
- Combined use of ^{15}N , ^{18}O and ^{11}B to evaluate nitrate contamination in groundwater 1626-1636
- Comparison of the Sr isotopic signatures in brines of the Canadian and Fennoscandian shields 749-766
- Controls on the genesis of high F groundwaters in India 221-228
- Controls on W concentration in ground water, Carson Desert, Nevada 423-441
- Fluid geochemistry of the Sardinian Rift-Campidano Graben: new constraints for selection of CO_2 Storage sites 317-340
- Groundwater fluxes into a submerged sinkhole area, using Rn and water chemistry 1831-1847
- Groundwater in the Broken Hill region: recognising interaction with bedrock and mineralization using S, Sr and Pb isotopes 767-787
- Groundwater recharge, circulation and geochemical evolution in the source region of the Blue Nile 1658-1676
- Hydrochemical processes at the contact zone between anoxic groundwater and surface water in poldered floodplains 241-254
- Hydrogeochemical evolution of confined groundwater in northeast Osaka Basin 295-316
- Hydrogeology and chemistry of the multilayered aquifer of the Pisa Plain, Italy 41-54
- Impact of variable saturated conditions on hydrogeochemical changes during artificial recharge of groundwater 1409-1426
- Inorganic, isotopic and organic composition of high chloride water from wells in a coastal Californian aquifer 1496-1517
- Isotope and dissolved gas evidence for N attenuation in landfill leachate in a chalk aquifer 933-945
- Natural spatial and temporal variations in groundwater chemistry in fractured sedimentary rocks 861-873
- Naturally occurring As: Mobilisation at a landfill 1985-2002
- Near-conservative behaviour of ^{129}I in the Orange County aquifer, California 1461-1472
- Origin of salinity in produced waters from the Palm Valley gas field, Australia 727-747
- Potassium in shallow groundwaters in volcanic rocks, Italy 875-897
- Preliminary geochemical evidence of groundwater contamination in coral islands 1848-1856
- Recharge processes in karstic systems investigated through correlation of chemical and isotopic composition of rain and spring-waters 2189-2206
- Stable isotope and hydrochemical monitoring of groundwater hydrodynamics in a karst aquifer 2063-2081
- Use of ^3H in precipitation and groundwater of a catchment for describing regional flow 1292-1308
- Volcanic degassing at Somma-Vesuvio inferred by chemical and isotopic signatures of groundwater 1060-1076

Organic

- Occurrence and distribution of long-chain acyclic ketones in immature coals 553–568
Saturated and aromatic diterpenoids and triterpenoids in Eocene coals and mudstones from China 367–381
Thermal analysis (TG-DTA) and isotopic characterization of humic acids 537–544

Remediation

- Electrokinetic iron pan generation in unconsolidated sediments: implications for contaminated land remediation and soil engineering 841–848
Municipal compost-based mixture for acid mine drainage bioremediation 1648–1657
Preliminary investigation into the use of ochre as a remedial amendment in As-contaminated soils 2207–2216

Thermal water

- Hydro-geochemical and isotopic evolution of Los Aufres geothermal field, Mexico 23–39
Light hydrocarbons as redox and temperature indicators in the geothermal field of El Tatio 2049–2062
Secondary mineral-fluid equilibria in the Krafla and Námafjall geothermal systems, Iceland 1607–1625

Waste disposal (CO₂ sequestration)

- Fe(III) in sediments as a novel CO₂ mineral trap 2038–2048
Monitoring of fluid-rock interaction and CO₂ storage through produced fluid sampling at a CO₂-injection enhanced oil recovery site 1131–1157

Waste disposal (nuclear)

- Activation energies of the self-diffusion of HTO, ²²Na⁺ and ³⁶Cl in a highly compacted argillaceous rock 961–972
Alteration of the Callovo–Oxfordian clay from Meuse-Haute Marne underground laboratory (France) by alkaline solutions 89–99
Analysis of precipitates from reactions of hyperalkaline solutions with soluble silica 1357–1367
Aqueous alteration of nearly pure Nd-doped zirconolite 899–906
Determination of kinetic parameters and simulation of early CO₂ production from the Boom Clay kerogen under low thermal stress 2097–2107
Differences in properties and Cm(III) complexation behaviour of isolated humic and fulvic acids 1158–1168
Diffusion and retention of Na and Sr in Opalinus clay: Comparison of sorption data from diffusion and batch measurements, and geochemical calculations 2351–2363
Dissolution of high-FeO olivine rock as a function of pH 1284–1291
Distribution of trace elements in fracture fillings from “Mina Fe” U deposit by sequential leaching; implications for retention processes 487–506

- Effect of chemical reactions on the hydrologic properties of fractured and rubbelized glass media 1677-1686
- Effect of humic acid on the pH-dependent adsorption of Tb(III) onto geological materials 1209-1217
- Effect of isosaccharinic acid and gluconic acid on retention of Eu, Am and Th by calcite 2082-2096
- Fluorite (U-Th)/He thermochronology: constraints on low temperature history of Yucca Mountain 1099-1105
- Hydrochemical baseline condition of groundwater at the Mizunami underground research laboratory 2283-2302
- Hydrogeochemical evolution and C isotope study of groundwaters from "Mina Fe" U deposit: implications for processes in radwaste disposal 465-485
- Influence of water-extractable organic matter from Opalinus Clay on sorption and speciation of Ni(II), Eu(III) and Th(IV) 443-451
- Kinetics of O₂ reduction by Fe(II) occurring in silicate minerals 2003-2016
- Simplified method for evaluating swelling capacity of a bentonite barrier 409-422
- Simulation of thermal stress influence on the Boom Clay kerogen in relation to storage of nuclear waste I. Study of generated soluble compounds 587-597
- Sorption and precipitation of Co(II) in Hanford sediments and alkaline aluminate solutions 193-205
- Sustainability of humic acids in the presence of MgO 1704-1713
- Thermochemically induced transformations in Al-smectites: A Spanish natural analogue of the bentonite barrier behaviour in a radwaste disposal 2252-2282

Weathering

- Electrochemical characterization of pyrrhotite reactivity during simulated weathering 109-121
- Weathering of the Ganga alluvial plain, India: implications for fluvial geochemistry 1-21

INGERSON LECTURE

- Oldest rocks, earliest life, heaviest impacts, and the Hadean-Archean transition 819-824

MINERAL RESOURCES

Exploration

- Application of geochemical ratios for delineating gem-bearing areas in high grade metamorphic terrains 1489-1495
- Till geochemistry in a ribbed moraine area of Finland 1714-1736

MODELLING

- Conceptual Hydrochemical model of late Pleistocene aquifers at the Samario-Sitio Grande petroleum reservoir, Gulf of Mexico 1077-1098
- Coupled chemistry and transport modelling of sulphidic waste rock dumps 275-293

Major Classification Index of Articles

Immobilization of U in the presence of $\text{Fe}_{0(\text{s})}$: model development and simulation of experimental conditions 1268–1283

OTHER TOPICS

Book review

453–454

2154–2155

Erratum

669

1039–1050

Preface

671–672

817

SUBJECT INDEX

- Acidification of soils, time dependent reactions of ^3H 169
- Acidity, net 1920, 1941
- Acid mine/rock drainage 109, 179, 275, 383, 789, 825, 907, 919, 1226, 1320, 1533, 1687, 1920, 1941
- acidity, net 1920
 - determination of 1941
 - alkalinity net 1920
 - determination of 1941
 - analysis by anodic stripping voltammetry 1533
 - fate of trace metals in 1368
 - from natural springs 1533
 - from smelter waste 919
 - from tailings 639, 661, 973, 2116
 - generating capacity of 661
 - metal and SO_4 loads of 1320
 - pH, comparison of field and laboratory determinations 1941
 - precipitates from 179, 383, 789, 907, 919, 1320, 1533
 - retention/release of As and metals by 919
 - remediation with municipal compost 1648
- Acid pit lakes 135, 2116
- interaction of wall rocks with 2116
 - stratification of 2116
- Actinides, binding to humic acid 1704
- Effect of Mg on 1704
- Acyclic ketones, long chain
- in carbonaceous mudstone 553
 - in coal 553
 - source of 553
- Adriatic Sea, Italy 1546
- Aegean Sea 69
- Ag
- in fertiliser 1473
 - in fluvial sediment 2157
 - in groundwater 1848
 - in surface water 1320
- Agriculture, contamination from 123, 261, 1473
- Aitik mine, Norrbotten, Sweden 275
- Al
- in acid mine/rock drainage 275, 789, 907, 1320, 1368, 2116
 - in acid mine/rock drainage precipitates 179, 383, 789, 907, 1320
 - in acid pit lake water 2116
 - in coal mine drainage 1445
 - in fertiliser 1473
 - in gas field brine 727
 - in groundwater 2283
 - in mine waste pore water 2303
 - in road sediment 849
 - in surface water 789, 1320, 1391, 2116
 - suspended particulate matter 1391
 - in tailings 639
 - in tailings treatment sludge 973
 - in thermal water 23, 1607

Subject Index

- release from aquifer sediment 989
- release from soils on acidification 169
- retention in wetland 1241
- Alabama, U.S.A., 1965
- Alaska, U.S.A. 627
- Aliakman River, Greece 69
- Alkalinity, net 1920, 1941
- Almeria, Spain 2253
- Am, retention by calcite 2097
- Amazon Basin 1746
- Analytical data
 - detection limits, assessment of 1737
 - quality, assessment of 1737
- Andes, The 1746
- Andra Pradesh, India 221
- Anodic stripping voltammetry, for field analysis of acid rock drainage 1533
- Ar
 - in geothermal gases 23, 1607
 - in groundwater 317, 933, 1060
 - in landfill leachate 933
 - in volcanic gas 1060
- Argentina, La Pampa Province 989
- Arizona, U.S.A. 207, 2217
- Aromatic hydrocarbons
 - in coal 367
 - in mudstone 367
- Artificial recharge of groundwater, chemical changes during 1409
- As
 - attenuation/release, by mine waste 1687
 - complexes with carbonate 1218
 - contamination from poultry litter 123
 - geochemical map of 1017
 - human health problems of 55, 229, 989, 1226
 - in acid mine/rock drainage 383, 907, 1320, 2116
 - in acid mine/rock drainage precipitates 179, 383, 907, 1226, 1320
 - in acid pit lake water 2116
 - in aquifer sediment 989, 1985
 - release from 1985
 - in drinking water 55
 - in fault fracture filling 487
 - in fertiliser 1473
 - in fluvial sediment 1169, 2157
 - in fly ash 1309
 - in groundwater 55, 423, 465, 989, 1218, 1226, 1560, 1848, 1890, 1985
 - enrichment around landfill 1985
 - mapping of 157
 - near As-rich mine waste 2303
 - sources of 55
 - in marine sediment 69
 - in mine waste pore water 2303
 - in pit wall minerals 135
 - in poultry litter 123
 - in rice 1890

Subject Index

- effect of irrigation with As-rich water on 1890
- in soil 123, 1060, 1258, 1687, 1890
- effect of irrigation with As-rich water on 1890
 - fractionation of 229
 - release from 1687
- in surface water 1320, 2116
- in tailings 639, 947
- in tailings treatment sludge 973
- in thermal water 23 423
- in till 1714
- in wheat 1890
 - effect of irrigation with As-rich water on 1890
- mobility 229
- release
 - from anoxic fluvial sediment 1169
 - from aquifer sediment 989
 - from mine waste 2303
 - from schwertmannite 1226
 - from tailings 947
 - into groundwater 55
 - role of organic matter in 55
- sorption, by Fe oxide/hydroxide 55, 2207
 - for remediation of As-contaminated soil 2207
- Ashphaltines, in crude oil storage tanks 1974
- Äspö, Sweden 2003
- Athabasca Basin, Saskatchewan, Canada 947
- Au
 - in fertiliser 1473
 - in fluvial sediment 2157
 - in till 1714
- Australia 1473
 - New South Wales 767
 - Northern Territory 727
 - Queensland 789
 - Western Australia 661
- Austria 1106, 1473
- Axios River, Greece 69
- Aznalcóllar, Spain 1648
- B
 - for tracing wastewater contamination 1587
 - in fertiliser 1473
 - in gas field brine 727
 - in groundwater 55, 317, 423, 989, 1077, 1496, 1587, 1626, 2283
 - in mine waste pore water 2303
 - in sewage treatment plant effluent 1587
 - in surface water 1077, 1587, 1626
 - in thermal water 23, 423, 1607
- ¹¹B
 - in groundwater 1626
 - in sewage treatment plant effluent 1626
 - in surface water 1626
 - to trace sources of NO₃ in water 1626

Ba

- geochemical map of 1017
- in acid mine/rock drainage 1320
- in acid mine/rock drainage precipitates 179
- in fault fracture filling 487
- in fertiliser 1473
- in fluvial sediment 1489, 2157
- in fly ash 1309
- in gas field brine 727
- in groundwater 55, 1496, 1560, 1848
- in marine sediment 69
- in mine waste pore water 2303
- in oilfield water 1518
- in pit wall minerals 135
- in surface water 507, 1320

Backcasting, to establish historical metal concentrations in river water 2315

Bangladesh 157, 1890

Be

- in acid mine/rock drainage precipitates 179
- in fault fracture filling 487
- in fluvial sediment 2157
- in gas field brine 727

Belgium 1473

Flanders 1169

Mol 587, 2097

Benken, Canton Zürich, Switzerland 443, 961, 1158, 2351

Berkeley pit, Butte, Montana, U.S.A. 2116

Berlin, Germany 1409

Bi, in fluvial sediment 2157

Bihar, India 221

Biomarkers, in hydrocarbons 1427, 2343

Bioprecipitation, of hydrozincite, effect of mining-contaminated waters 507

Blue Nile Basin, Ethiopia 1658

Bohai Bay Basin, China 1427

Bolivia 1746

Book review 453, 2154

Br

- in fertiliser 1473
- in groundwater 41, 465, 1077, 1496, 2283
- in salt marsh sediment 1195
- in surface water 1077
- in thermal water, 423

Brazil 1746

Broken Hill Mine, New South Wales, Australia 767

Butte, Montana, U.S.A. 2116

C, in acid mine/rock drainage precipitates 179

¹³C

- in bitumen 2325
- in carbonates 2252
- in CH₄ 2252
- in CO₂ 1131, 2283
- in condensates 2017
- in dissolved C from argillites, determination 713
- in geothermal gases 2049

Subject Index

- in groundwater 41, 317, 465, 933, 1060, 1077, 1496, 2217, 2283
 - in humic acid 537
 - use for identifying processes involved in formation of 537
 - in hydrocarbons 1857
 - in landfill leachate 933
 - in marine sediment 1637
 - in natural gas 2017
 - in plants 465
 - in soil 465, 519
 - for identifying environmental change 519
 - in source rocks 1857
 - in surface water 1077
 - in terrestrial source rocks 455
 - in volcanic gas 1060
 - to assess CH₄ oxidation 683
 - to determine formation temperature in bentonite barrier analogue 2253
- ¹⁴C
- in groundwater 1077, 2217, 2283
 - for dating of 1077, 2283
 - for dating bitumen 2343
 - in surface water 1077
- C₄/C₃ plant matter, variation of 519
- Ca
- in acid mine/rock drainage 275, 789, 1320, 1368, 2116
 - in acid mine/rock drainage precipitates 179, 383, 789, 1320
 - in acid pit lake water 2116
 - in coal mine drainage 1445
 - in gas field brine 727
 - in groundwater 41, 55, 241, 261, 295, 317, 423, 465, 825, 861, 875, 989, 1060, 1077, 1131, 1180, 1409, 1496, 1658, 1831, 1848, 1985, 2063, 2217, 2283, 2325
 - in mine waste pore water 2303
 - in mineral water 875
 - in oilfield water 1518
 - in peat waters 673
 - in precipitation 2325
 - in salt marsh sediment 1195
 - in sewage treatment plant effluent 2138
 - in surface water 507, 789, 1077, 1180, 1320, 1391, 1409, 1746, 2116, 2138, 2325
 - in tailings 639
 - in tailings treatment sludge 973
 - in thermal water 23, 423, 1607, 2138
- Cácares, Spain 397
- California, U.S.A. 1461, 1496
- Cambridgeshire, England, U.K. 933
- Campania, Italy 611
- Canada
- Manitoba 639, 1180, 2303
 - Northwest Territories 749
 - Ontario 683, 691, 1391
 - Quebec 1391
 - Saskatchewan 947, 1131
- Canton Jura, Switzerland 443, 713, 961, 2351
- Canton Valais, Switzerland 701

Subject Index

Canton Zürich, Switzerland 443, 961, 1158, 2351

Carson Desert, Nevada, U.S.A. 423

Catalonia, Spain 1648

Cd

adsorption 529

in acid mine/rock drainage 907, 1320, 1533

in acid mine/rock drainage precipitates 179, 789, 1320, 1533

in fertiliser 1473

in fluvial sediment 1169, 2157

in gas field brine 727

in groundwater 1848

in soil 1258, 1907

mobility in, effects of amendments on 397

in surface water 507, 919, 1391

suspended particulate matter 1391

in tailings 639

in tailings treatment sludge 973

release from anoxic fluvial sediment 1169

Ce

in fault fracture filling 487

in fertiliser 1473

in fluvial sediment 1, 2157

CH₄

in geothermal gases 23, 1607, 2049

in groundwater 317, 933, 1060, 2283

in landfill leachate 933

in oilfield water 1518

in volcanic gas 1060

oxidation of 683

release from hydroelectric reservoirs 683

C₂H₆, in groundwater 317

Chattahoochee River, Georgia, U.S.A. 2315

Chile, El Tatio geothermal field 2049

China

Bohai Bay Basin 1427

Dingxi Basin 553

Guangdong Province 169

Guizhou Province 627

Hainan Province 1848

Jiangsu Province 169

Jiangxi Province 169

Liaohu Basin 367, 455

Nanjing 1051

Qaidam Basin 1875

Shandong Province 169

Tarm Basin 545

The Loess Plateau 519

Turpan Basin 455

Yunnan Province 169

Chungcheongbuk-do Province, Korea 1687

Citalia Rift, Mexico 2343

Cl

- for tracing wastewater contamination 1587
- in acid mine/rock drainage 383, 1320, 1368, 2116
- in acid pit lake water 2116
- in fertiliser 1473
- in gas field brine 727
- in groundwater 41, 55, 241, 261, 295, 317, 423, 465, 599, 749, 767, 825, 875, 933, 989, 1060, 1077, 1131, 1180, 1496, 1571, 1587, 1626, 1658, 1831, 1985, 2063, 2138, 2189, 2217, 2283, 2325
 - source of 1496
- in ice 749
- in landfill leachate 933
- in mineral water 875
- in mine waste pore water 2303
- in oilfield water 1518
- in peat waters 673, 1597
- in precipitation 749, 2189, 2325
- in sewage treatment plant effluent 1587, 2138
- in shield brines 749
- in surface water 207, 423, 507, 1077, 1180, 1320, 1391, 1409, 1571, 1587, 1597, 1626, 1746, 2116, 2138, 2325
- in thermal water 23, 423, 1607, 2138
- sources of, in Jordan River 2138
- to determine evapotranspiration coefficient 2189

³⁶Cl

- fallout rate 599
- in groundwater 599
- sources in environment 599

Climatic oscillation, prediction of 1746

Cm, complexation with humic and fulvic acids 1158

Co

- in acid mine/rock drainage 789, 1320
- in acid mine/rock drainage precipitates 179, 789
- in coal mine drainage 1445
- in coal mine drainage precipitates 1445
- in fault fracture filling 487
- in fertiliser 1473
- in fluvial sediment 1737, 2157
- in fly ash 1309
- in gas field brine 727
- in groundwater 1560
- in marine sediment 69
- in pit wall minerals 135
- in salt marsh sediment 1195
- in soil 1258
- in surface water 507, 789, 919, 1320, 1391, 2315
 - suspended particulate matter 1391, 2315
- in tailings 639
- in till 341, 1714
- mobility in environment 193
- retention in wetland 1241

⁶⁰Co, migration from nuclear waste 193

CO₂

- in geothermal gases 23, 1607, 2049
- in groundwater 317, 1060, 2283
- in oilfield water 1518

Subject Index

- in volcanic gas 1060
- production from kerogen during nuclear waste disposal 2097
- role in formation of trona 2217
- sequestration 1131, 2038
 - minerals formed, during 2038
 - monitoring of fluids resulting from 1131
 - reactions with host rock, during 2038
- role of faults 317
- Coal combustion, contamination from 207
- Coal, long chain acyclic ketones in 553
 - source of 553
- Coal mine drainage, passive treatment of 1445
 - precipitates from 1445
- Coal mine pit lakes, geochemical evolution of 825
- Colorado, U.S.A. 207
- Columbia 1746
- Columbus, Ohio, U.S.A. 353
- Connemara, Ireland 673
- Copperbelt Province, Zambia 1241
- Coral islands, groundwater contamination in 1848
- Coromandel Peninsula, New Zealand 135, 1533
- Corsica, France 317
- Cr
 - geochemical map of 1017
 - in acid mine/rock drainage 1320, 1368
 - in acid mine/rock drainage precipitates 179, 789, 1226, 1320
 - in fault fracture filling 487
 - in fertiliser 1473
 - in fluvial sediment 1, 1169, 1737, 2157
 - in gas field brine 727
 - in groundwater 1560
 - in marine sediment 69
 - in pit wall minerals 135
 - in soil 1051, 1258
 - in surface water 919, 1320, 2315
 - suspended particulate matter 2315
 - in tailings 639
 - in till 1714
 - release from
 - anoxic fluvial sediment 1169
 - schwertmannite 1226
 - retention, in wetland 1241
 - speciation, in acid mine drainage 1368
- Croatia 1106
- Cs
 - in fertiliser 1473
 - in soil 1258
 - in thermal water 23
- ¹³⁷Cs, to date sediments 207, 1195
- Cu
 - attenuation/release, by mine waste 1687
 - geochemical map of 1017
 - in acid mine/rock drainage 275, 789, 907, 1320, 1368, 1533, 2116

Subject Index

- in acid mine/rock drainage precipitates 179, 383, 789, 907, 1320, 1533
- in acid pit lake water 2116
- in fault fracture filling 487
- in Fe oxide/hydroxide precipitates 1180
- in fertiliser 1473
- in fluvial sediment 1, 1169, 1180, 2157
- in fly ash 1309
- in gas field brine 727
- in groundwater 1560, 1848, 2116
- in marine sediment 69
- in pit wall minerals 135
- in poultry litter 123
- in road sediment 849
- in salt marsh sediment 1195
- in soil 123, 1051, 1258, 1687, 1890, 1907
 - mobility in, effects of amendments on 397
 - release from 1687
- in surface water 507, 789, 919, 1180, 1320, 1391, 2116, 2315
 - suspended particulate matter 1391, 2315
- in tailings 639
- in tailings treatment sludge 973
- in till 341, 1714
- release from anoxic fluvial sediment 1169
- retention in wetland 1241
- uptake by plants 101
- Cumbria, England, U.K. 841
- Cyprus
 - Skouriotissa mine 101
 - Troodos massif 1292
- Czech Republic 673, 1226
- Data manipulation, geochemical 341, 2233
- Dead Sea 2138
- Denmark 1473
 - Odense 599
- Dingxi Basin, China 553
- Diterpenoids
 - in coal 367
 - in mudstone 367
- Drinking water
 - contamination by waste water 1587
 - exceedance of EPA standards 1560
 - treatment of 529
- Elba River, Germany 261
- El Tatio geothermal field, Chile 2049
- England, U.K. 2207
 - Cambridgeshire 933
 - Cumbria 841
 - Medway Estuary 1195
 - Yorkshire 673
- Erratum 669, 1039
- Ethiopia, Blue Nile Basin 1658

Eu

- in fertiliser 1473
- in fluvial sediment 2157
- retention by calcite 2097
- sorption, effect of organic matter on 443

F

- human health problems of 221
 - in India 221
- in charnockite 221
- in gneiss 221
- in granite 221
- in groundwater 221, 423, 465, 825, 1060, 1496, 1658, 1831, 2063, 2217, 2283
 - sources of 221
- in mine waste pore water 2303
- in mineral water 875
- in soil 221
- in thermal water 423, 1607

Factor analysis 2233

Fe

- attenuation/release, by mine waste 1687
- behaviour during CO₂ sequestration 2038
- in acid mine/rock drainage 275, 789, 907, 1320, 1368, 2116
- in acid mine/rock drainage precipitates 179, 383, 789, 907, 1320
 - release from 383
- in acid pit lake water 2116
- in aquifer sediment 989
 - release from 989
- in coal mine drainage 1445
- in coal pit lakes 825
- in fertiliser 1473
- in fluvial sediment 1737
- in gas field brine 727
- in groundwater 55, 241, 261, 317, 423, 465, 1180, 1409, 1496, 1848, 1985, 2283
- in mine waste pore water 2303
- in peat waters 1120
- in road sediment 849
- in surface water 789, 1180, 1320, 1391, 1409, 2116
 - suspended particulate matter 1391
- in tailings 639
- in tailings treatment sludge 973
- in thermal water 23, 423, 1607
- redox cycling in anoxic groundwater 241
- reduction, in peat 1120
- retention in wetland 1241
- speciation in acid pit lake water 2116

Fe oxide/hydroxide, sorption

- of As by 55, 1687, 2207
- of metals by 1180, 1687

Fennoscandian shield, Finland/Sweden 749

Fertilisers

- contamination from 1473
- regulations for As and metals in 1473

Finland 749, 1284, 1473

- Perpohjola 1714

Flanders, Belgium 1169

Fluid inclusions, homogenisation temperatures 255

Fluvial sediment geochemistry, relationship to land use 2157

Fly ash, quality of 1309

Formation water 455, 1077

France

- Corsica 317
- Hrault River Basin 1587
- Lot-Garonne River 383, 919
- Massif Central 383, 825
- Meus-Haute Marne 89, 1158
- Montpellier 2189
- Paris Basin 713
- Seine Estuary 1195

Freeville, New York, U.S.A. 1120

Fulvic acid, complexation of Cm 1158

Ga, in fluvial sediment 1

Ganga alluvial plain, India 1

Gas field brine, origin of 727

Gd

- for tracing wastewater contamination 1587
- in groundwater 1587
- in sewage treatment plant effluent 1587
- in surface water 1587

Gems, geochemical prospecting for 1489

Geochemical baselines 611, 875

Geochemical exploration 767

- for gems 1489
- in glaciated areas 1714

Geochemical mapping 157, 611, 1017

Geochemistry and health

- As and human health 55, 157, 229
- F and human health 221
- Rn and human health 611
- W, possible effect on human health 423

Georgia, U.S.A. 1571, 2315

Germany 1226, 1473

- Berlin 1409
- Elbe Basin 261
- Harz Mountains 1209
- Oder River 241

Geothermal energy 1607

- exploration for sources 2049
- Rn release from 611

Gifu, Japan 2283

Gomati River, India 1

Gran Sasso Massif, Italy 2063

Great Lakes 1391

Greece

Aliakman River 69

Axios River 69

Pinios River 69

Sporades Basin 69

Thessaloniki 69

Groundwater

along regional fault systems 317

anoxic, interaction with surface water in polder 241

artificial recharge of 1409

As-rich 55, 229

around landfill 1985

health problems of 55, 229

mapping of 157

sources of 55

baselines of trace elements, in major aquifers of U.S.A. 1560

Cl-rich 1496

contaminated 55, 2063

by As 2303

by U 1268

from agriculture 261

from irrigation 1496

from landfill leachate 933

dating 599

evolution of 295, 1077, 1658, 2217, 2283

in natural analogue of nuclear waste repository 465

flux, estimation using Rn 1831

F-rich

health problems of 221

remediation 221

in carbonate aquifer, to assess weathering rates 2325

in coral islands 1848

in karst aquifers 2189

circulation 2063

in tailings 639

in volcanic area 1060

K-rich, in volcanic areas 875

monitoring flow and transport in 861

oilfield 1077

poldered, anoxic 241

potable 41, 55

quantification of river exchange with 701

recharge 1658

residence time of 1292, 2283

sources of NO₃ in 1626

sources of S in 261

temporal variations in chemistry of 2063

thermal 1607

use in geochemical exploration 767

W-rich 423

Guangdong Province, China 169

Guizhou Province, China 627

Gujarat, India 221

Gulf of Mexico 1077

H₂

in geothermal gases 23, 1607, 2049

in groundwater 2283

²H

in groundwater 317, 423, 1060, 1077, 1496, 1658, 2189, 2283
to estimate recharge in karst 2189

in precipitation 2189

in smectite 2252

in surface water 1658, 1746

in terrestrial source rocks 455

to identify paleoenvironments 455

in thermal water 23

to determine evapotranspiration coefficient 2189

³H

in groundwater 41, 599, 1292, 1461, 1571, 2217, 2283
to determine age 1292, 1461

to determine flow velocity 701

in precipitation 1292

in surface water 1292

in tailings 639

Hainan Province, China 1848

Hartz Mountains, Germany 1209

Hawaii, U.S.A. 2157

He

in fluorite 1099

in groundwater 317, 599, 1060, 1461

in geothermal gases 23, 2049

in volcanic gas 1060

³He, in groundwater 317, 599

Hrault River Basin, France 1587

Heterogeneous data sets, dealing with 2233

Hg

contamination

from coal combustion 207

of sediments in fish farms 1546

geochemical map of 1017

in acid mine/rock drainage precipitates 179

in calcine waste 627

in coal emissions 207

in fish 207

in fluvial sediment 2157

in fly ash 1309

in groundwater 1848

in marine sediment 1546

variation with depth 1546

in moss 627

in reservoir sediment 207

source of 207

in sediment 627

- in soil 627, 1051
 - in surface water 207
- Ho, in fluvial sediment 2157
- H₂S
 - in geothermal gases 23, 1607, 2049
 - in groundwater 1496, 2283
 - in hydrocarbon gases 1427
- Huelva, Spain 1320
- Humic acid
 - complexation of Cm 1158
 - effect on Tb adsorption 1209
 - isotopic characterisation of 537
- Hungary 1106
- Hydrocarbons
 - characterisation of saline lacustrine oils 1875
 - crude oil 1974
 - solid deposits formed during storage 1974
 - hydrothermal, in rift lakes 2343
 - origin of 2343
 - identifying source of, using Mango's parameters 545, 1875
 - in thermal water 2049
 - natural gas 2017
 - oil production, waters associated with 1077, 1496, 1516
 - S-rich 1427
 - terrestrial source rocks, identification of paleoenvironments of 455
 - thermal cracking of 255
- Hydrophobic C compounds, in groundwater 1496
- I, in groundwater 465, 1077, 1461, 1496
- ¹³⁹I, in groundwater 1461
 - as a biomarker 1461
 - as a hydrological tracer 1461
- Iberian Pyrite Belt 1320
- Iceland
 - Krafla geothermal area 1607
 - Námafjall geothermal area 1607
- India
 - Andra Pradesh 221
 - Bihar 221
 - Ganga River 1
 - Gomati River 1
 - Gujarat 221
 - Madhya Pradesh 221
 - Punjab 221
 - Rajasthan 221
 - Tamil Nadu 221
 - Uttar Pradesh 221
- Industrial activity, contamination from 1546
- Ingerson Lecture 819
- Ireland 537
 - Connemara 673
 - Leinster 1737
- Irrigation, contamination of groundwater 1496
- Isotopes

Subject Index

- B 1626
- C 41, 317, 455, 465, 537, 683, 713, 933, 1060, 1077, 1496, 1637, 1857, 2017, 2049, 2217, 2253, 2283, 2343
- Cl 599
- Co 193
- Cs 207, 1195
- H 23, 41, 317, 423, 455, 599, 639, 701, 1060, 1077, 1292, 1461, 1496, 1571, 1658, 1746, 2063, 2189, 2217, 2253, 2283
- He 317, 599, 701, 1461
- I 1461
- Kr 599
- N 537, 933, 1626
- Na 2351
- O 23, 41, 261, 317, 691, 701, 713, 861, 1060, 1077, 1461, 1496, 1571, 1626, 1637, 1658, 1746, 2063, 2116, 2189, 2253, 2283
- Pb 353, 673, 767, 807, 1195, 1965
- S 23, 41, 261, 673, 691, 727, 767, 789, 933, 1427, 1496, 1597, 2116
- Sr 295, 727, 749, 767, 1571, 1965, 2063, 2253, 2325, 2351
- Italy 537, 875, 1106
 - Adriatic Sea 1546
 - Campania 611
 - Gran Sasso Massif 2063
 - Liguria 1368
 - Pontina Plain 1831
 - Sardinia 317, 507
 - Somma-Vesuvio 1060
 - Tuscany 41, 875
 - Tyrrhenian Sea 1831
- Israel 2138
- Japan 1017, 1473
 - Gifu 2283
 - Kobe 849
 - Niigata 255
 - Osaka Basin 295
 - Yodogawa River 295
- Jiangsu Province, China 169
- Jiangxi Province, China 169
- Jordan 2138
- Jordan River 2138
- K
 - in acid mine/rock drainage 275, 789, 1320, 1368, 2116
 - in acid mine/rock drainage precipitates 179, 383, 789, 1320
 - in acid pit lake water 2116
 - in coal mine drainage 1445
 - in Fe oxide/hydroxide precipitates 1180
 - in fluvial sediment 611
 - in gas field brine 727
 - in groundwater 41, 55, 241, 261, 295, 317, 423, 465, 825, 875, 989, 1060, 1077, 1180, 1496, 1658, 1831, 1848, 1985, 2063, 2217, 2283, 2325
 - in mine waste pore water 2303
 - in mineral water 875
 - in oilfield water 1518

Subject Index

- in peat waters 673
- in precipitation 2325
- in road sediment 849
- in salt marsh sediment 1195
- in surface water 507, 789, 1077, 1180, 1320, 1391, 1409, 1746, 2116, 2325
- in tailings 639
- in thermal water 23, 423, 1607
- Kalgoorlie, Western Australia 661
- Kansas, U.S.A. 2325
- Kentucky, U.S.A. 1309
- Kobe, Japan 849
- Korea, Chungcheongbuk-do Province 1687
- ⁸⁵Kr, in groundwater 599
- Krafla geothermal area, Iceland 1607
- Kriging, use for mapping 157
- Kristineberg mine, Sweden 179, 973
- Krko Basin, Slovenia 1106
- La
 - in acid mine/rock drainage precipitates 179
 - in fault fracture filling 487
 - in fertiliser 1473
 - in fluvial sediment 1, 2157
 - in soil 1258
- Lake Ontario 1391
- Landfill
 - effect on As in groundwater 1985
 - leachate, contamination of groundwater by 933
- La Pampa Province, Argentina 989
- Leinster, Ireland 1737
- Li
 - geochemical map of 1017
 - in fluvial sediment 2157
 - in gas field brine 727
 - in groundwater 317, 465, 1060, 1077
 - in surface water 1077
 - in thermal water 23
- Liaoho Basin, China 367, 455
- Libiola mine, Liguria, Italy 1368
- Liguria, Italy 1368
- Loess Plateau (The), China 519
- Long range transport of pollutants 1258
- Los Azufres geothermal field, Mexico 23
- Lot-Garonne River system, France 383, 919
- Louisiana, U.S.A. 1965
- Lu, in fertiliser 1473
- Madhya Pradesh, India 221
- Maine, U.S.A. 1985
- Mango's light hydrocarbon parameters, application of 545, 1875
- Manitoba, Canada 639, 1180, 2303
- Marano Lagoon, Adriatic Sea, Italy 1546

Subject Index

- Marine shells, as archives of environmental change 1965
Martha mine, Waihi, Coromandel Peninsula, New Zealand 135
Maryland, U.S.A. 1445
Massif Central, France 383, 825
Mediterranean Sea 1292, 1587, 2063, 2189
Medway Estuary, England, U. K. 1195
Metal mobility, effect of de-icing salt on 1907
Meus-Haute Marne, France 89, 1158
Mexico 109
 Citalia Rift 2343
 Los Azufres geothermal field 23
 Samario-Sitio oil field 1077
 Sonora 2217
Mg
 in acid mine/rock drainage 275, 789, 1320, 1368, 2116
 in acid mine/rock drainage precipitates 179, 383, 789, 1320
 in acid pit lake water 2116
 in coal mine drainage 1445
 in gas field brine 727
 in groundwater 41, 55, 241, 261, 295, 317, 423, 465, 825, 875, 989, 1060, 1077, 1180, 1496, 1571, 1658, 1831, 1848, 1985, 2063, 2217, 2283, 2325
 in mine waste pore water 2303
 in mineral water 875
 in oilfield water 1518
 in peat waters 673
 in precipitation 2325
 in sewage treatment plant effluent 2138
 in surface water 507, 789, 1077, 1180, 1320, 1391, 1571, 1746, 2116, 2138, 2325
 in tailings 639
 in thermal water 23, 423, 1607, 2138
Mina Fe uranium deposit, Salamanca, Spain 465, 487
Mineralisation
 Au/Ag 135
 Au/Cu 789
 Cu 101, 275, 2116
 Cu/Zn 179, 973
 Fe/Cu 1368
 gems 1489
 Hg 627
 Ni 661
 Pb/Zn 507, 907
 Pb/Zn/Ag 109, 767
 polymetallic 639, 2116
 pyrite 1320
 U 465, 487, 947
 W 383, 1687
Mine waste, rehabilitation of 101
Mining, environmental contamination from 101, 109, 179, 383, 507, 627, 639, 789, 825, 907, 919, 947, 973, 1180, 1241, 1320, 1368, 1546, 1687, 2116, 2207, 2303
Mizunami, Gifu, Japan 2283
Mn
 attenuation/release, by mine waste 1687

Subject Index

- geochemical map of 1017
 - in acid mine/rock drainage 383, 789, 907, 1320, 1368, 2116
 - in acid mine/rock drainage precipitates 179, 383, 789, 907, 1320
 - in acid pit lake water 2116
 - in coal mine drainage 1445
 - in coal mine drainage precipitates 1445
 - in coal pit lakes 825
 - in coal spoil leachate 825
 - in fertiliser 1473
 - in fluvial sediment 1
 - in fly ash 1309
 - in gas field brine 727
 - in groundwater 55, 241, 423, 465, 1409, 1496, 1848, 1985, 2283
 - in marine sediment 69
 - in mine waste pore water 2303
 - in road sediment 849
 - in peat waters 1120
 - in salt marsh sediment 1195
 - in soil 1258, 1890, 1907
 - in surface water 789, 1320, 1391, 1409, 2116, 2315
 - suspended particulate matter 1391
 - in tailings 639
 - in tailings treatment sludge 973
 - in thermal water 423
 - redox cycling in anoxic groundwater 241
 - release from aquifer sediment 989
- Mo
- in acid mine/rock drainage precipitates 179
 - in fault fracture filling 487
 - in fertiliser 1473
 - in fluvial sediment 2157
 - in fly ash 1309
 - in gas field brine 727
 - in groundwater 1560
 - in marine sediment 69
 - in surface water 1320
 - in tailings treatment sludge 973
- Modelling
- fate of trace metals in acid mine drainage 1368
 - hardpan formation in tailings 639
 - geochemical and environmental behaviour of river basins 1746
 - groundwater circulation, in karst aquifers 2063
 - groundwater residence time 1292
 - immobilisation of U 1268
 - oxidation, transport and interaction in sulphide waste 275
 - reaction path, in groundwaters 875
 - swelling capacity of bentonite 409
 - trace element baselines in major aquifers of U.S.A. 1560
- Mol, Belgium 587, 2097
- Montana, U.S.A. 907, 2116
- Montpellier, France 2189
- Mont Terri, Canton Jura, Switzerland 443, 713, 961, 2351
- Mull, Scotland, U.K. 673
- Muzaffargarh District, Punjab, Pakistan 55

Subject Index

- N_2
- in geothermal gases 23, 1607, 2049
 - in groundwater 317, 933, 1060, 2283
 - in landfill leachate 933
 - in volcanic gas 1060
- ^{15}N
- in groundwater 933, 1626
 - in humic acid 537
 - use for identifying processes involved in formation of 537
 - in landfill leachate 933
 - in sewage treatment plant effluent 1626
 - in surface water 1626
 - to trace sources of NO_3 in water 1626
- Na
- geochemical map of 1017
 - in acid mine/rock drainage 275, 789, 1320, 1368, 2116
 - in acid mine/rock drainage precipitates 179, 383, 789, 1320
 - in acid pit lake water 2116
 - in coal 1315
 - in coal mine drainage 1445
 - in Fe oxide/hydroxide precipitates 1180
 - in gas field brine 727
 - in groundwater 41, 55, 241, 261, 295, 317, 423, 465, 825, 861, 875, 989, 1060, 1077, 1180, 1496, 1658, 1831, 1848, 1985, 2063, 2217, 2283, 2325
 - in mine waste pore water 2303
 - in mineral water 875
 - in oilfield water 1518
 - in peat waters 673
 - in precipitation 2325
 - in sewage treatment plant effluent 2138
 - in surface water 507, 789, 1077, 1180, 1320, 1391, 1409, 1746, 2116, 2138, 2325
 - in tailings 639
 - in thermal water 23, 423, 1607, 2138
- Námafjall geothermal area, Iceland 1607
- Nanjing, China 1051
- Narraguinnep reservoir, Colorado, U.S.A. 207
- Natural analogue, for nuclear waste disposal 465, 487, 2252
- Natural gas, source 2017
- Nb
- in acid mine/rock drainage precipitates 179
 - in fluvial sediment 1, 1489, 2157
- Nd
- in fertiliser 1473
 - in fluvial sediment 2157
- Ne
- in geothermal gases 2049
 - in groundwater 317, 599
- Near-infrared reflectance spectroscopy, for analysis of marine sediments 1637
- Netherlands, The 1473
 - Rhine-Meuse delta 2233
- Nevada, U.S.A. 423, 1099, 1626, 1677, 2217
- New Mexico, U.S.A. 207, 1704, 2217

New South Wales, Australia 767

New York, U.S.A. 1120

New Zealand, Coromandel Peninsula 135, 1533

NH₃

in geothermal gases 23

in groundwater 423

NH₄

in groundwater 55, 241, 317, 465, 933, 1496, 2283

in landfill leachate 933

in surface water 1746

Ni

in acid mine/rock drainage 789, 1320, 1368

in acid mine/rock drainage precipitates 179, 789

in coal mine drainage 1445

in coal mine drainage precipitates 1445

in fault fracture filling 487

in Fe oxide/hydroxide precipitates 1180

in fertiliser 1473

in fluvial sediment 1, 1169, 1737, 2157

in fly ash 1309

in gas field brine 727

in groundwater 465, 1180, 1560, 1848

in marine sediment 69

in pit wall minerals 135

in salt marsh sediment 1195

in soil 1051, 1258

in surface water 507, 789, 919, 1180, 1391

suspended particulate matter 1391

in tailings 639

in tailings treatment sludge 973

in till 341, 1714

release from anoxic fluvial sediment 1169

retention in wetland 1241

sorption, effect of organic matter on 443

Niigata, Japan 255

NO₃

for tracing wastewater contamination 1587

in acid mine/rock drainage 1368

in groundwater 55, 241, 295, 825, 875, 933, 989, 1409, 1496, 1587, 1626, 1658, 2063, 2217, 2283

in landfill leachate 933

in mine waste pore water 2303

in mineral water 875

in sewage treatment plant effluent 1587

in surface water 1409, 1587, 1626, 1746

Norrbotten, Sweden 275

Northern Territory, Australia 727

Northwest Territories, Canada 749

Norway 1258, 1473

Nuclear waste 443

disposal 89, 961, 1158, 1209, 1284, 2003

CO₂ production from kerogen in host clay 2097

diffusion of radio isotopes in argillaceous rock 2351

Subject Index

establishing groundwater baseline, prior to 2283
retardation of radionuclides during 2082
thermal effects on kerogen in host clay 587

migration of Co from 193
 of radionuclides from 1357
natural analogue
 assessing element mobility in 487
 for assessing thermal effects on engineered barrier 2252
 groundwater evolution in 465
repository
 alteration of clays in 89
 glass corrosion in 1677
 mobility of actinides in 1704
 modelling of swelling capacity of bentonite in 409
 redox buffer capacity of fracture fillings around 2003
 use of Zr-rich ceramics in 899
storage, at weapons facility 1357
 fluids release from 1357

O₂

in geothermal gases 1607, 2049
in groundwater 1060, 2283
for monitoring flow and transport 861
in volcanic gas 1060

¹⁸O

in acid mine/rock drainage 2116
in acid pit lake water 2116
in carbonates 2253
in groundwater 41, 261, 317, 691, 701, 861, 1060, 1077, 1461, 1496, 1571, 1626, 1658, 2063, 2189, 2283
 for monitoring flow and transport 861
 for quantifying river/groundwater exchange 701
 to estimate recharge in karst 2189
in marine sediment 1637
in porewater, determination 713
in precipitation 691, 701, 2189
in sewage treatment plant effluent 1626
in smectite 2253
in surface water 691, 701, 1077, 1571, 1626, 1746, 2116
 to test coherence of hydrograph separation model 1746
in thermal water 23
in volcanic gas 1060
to determine evapotranspiration coefficient 2189
to determine formation temperature in bentonite barrier analogue 2253
to trace sources of NO₃ in water 1626
use to identify sources of SO₄ in post drought pulses 691

O'ahu, Hawaii, U.S.A. 2157

Odense, Denmark 599

Oder River, Germany 241

Odiel River, Huelva, Spain 1320

Ohio, U.S.A. 353

Oilfield waters, degree of mixing with petroleum 1518

Ontario, Canada 683, 691, 1391

Orange County, California, U.S.A. 1461

Osaka Basin, Japan 295

P

- determination in Fe oxyhydroxide 2108
- in acid mine/rock drainage precipitates 179, 383, 789, 1320
- in gas field brine 727
- in groundwater 55, 423, 989
- in surface water 1320
- in thermal water 423
- release from aquifer sediment 989
- release from Fe oxyhydroxide 2108

Pakistan, Punjab 55

Paraffins, in crude oil storage tanks 1974

Paris Basin, France 713

Pb

- attenuation/release, by mine waste 1687
- in acid mine/rock drainage 789, 907, 1320, 1533
- in acid mine/rock drainage precipitates 179, 907, 1320, 1533
- in blood 807
- in fertiliser 1473
- in fluvial sediment 1, 1169, 2157
- in fly ash 1309
- in gas field brine 727
- in groundwater 767, 1848
- in marine sediment 69
- in road sediment 849
- in soil 1051, 1258, 1687, 1890, 1907
 - mobility in, effects of amendments on 397
 - release from 1687
- in surface water 507, 789, 1320, 2315
 - suspended particulate matter 2315
- in tailings 639
- in tailings treatment sludge 973
- in tap water 353
 - sources, using Pb isotopes 353
- in till 341
- release from anoxic fluvial sediment 1169
- retention in wetland 1241

Pb isotopes

- in blood 807
 - determination of 807
- in groundwater 767, 1560
 - for geochemical exploration 767
- in salt marsh sediment 1195
- in solder 353
- in tap water 353
 - to trace Pb sources in 353
- in water pipes 353

²¹⁰Pb

- to date sediments 1195
- in mollusc shells 1965

²¹⁰Pb-²²⁶Ra disequilibrium, for dating marine shells 1965

Pennsylvania, U.S.A. 1445, 1920, 1941

Perpohjola, Finland 1714

Peru 1746

Subject Index

- Petroleum, degree of mixing with oilfield waters 1518
- Pinios River, Greece 69
- Pisa Plain, Tuscany Italy 23
- Pit lakes
 - development of 135
 - evolution of 825
 - interaction of wall rocks with 2116
 - mineral quantification of wall rocks 135
 - stratification of 2116
- Pleasant Valley, California, U.S.A. 1496
- Polyelectrolyte, effect on Cd adsorption 529
- Pontina Plain, Italy 1831
- Preface 671, 817
- Pu, manufacture at weapons facility 1357
- Punjab, India 221
- Punjab, Pakistan 55
- Qaidam Basin, China 1875
- Quebec, Canada 1391
- Queensland, Australia 789
- Ra, in mollusc shells 1965
- Radioactivity, natural, mapping of 611
- Radionuclides
 - contamination by 193
 - diffusion in argillaceous rocks 961, 2351
- Rajasthan, India 221
- Rb
 - in fertiliser 1473
 - in fluvial sediment 1, 1489
 - in salt marsh sediment 1195
 - in soil 1258
 - in thermal water 23
- Reflectance spectroscopy, to assess soil contamination 1051
- Rehabilitation, of mine waste 101
- Remediation
 - of acid mine drainage, with municipal compost 1648
 - of As-contaminated soil 2207
 - of contaminated soil
 - and sediment, electrokinetic 841
 - by amendment with industrial waste 397
 - of mining-contaminated surface waters 507
 - by wetland 1241
 - of wetland containing elevated Se 569
- Rhine-Meuse delta, The Netherlands 2233
- Rhone River, Switzerland 701
- River Basin, management 1746
- Rn
 - health effects of 611
 - in groundwater 317, 1831
 - to estimate groundwater flux 1831
 - in soil gas 1106
 - identifying anomalies from earthquakes 1106
- Roman Magmatic Province, Italy 875
- Russia 537

S

- attenuation/release, by mine waste 1687
- deposition 1597
- in acid mine/rock drainage precipitates 179, 907
- in aquifer sediment 295
- in Fe oxide/hydroxide precipitates 1180
- in hydrocarbons 1427
 - source of 1427
- in moss 1597
- in peat 673, 1597
 - bacterial reduction in 1597
 - distribution in 1597
 - mobility in 673
 - release from, effect on acidity 673
 - source of 1597
- in tailings treatment sludge 973
- in till 1714

S^{2-} , in groundwater 241, 1985, 2283

 ^{34}S

- in acid mine/rock drainage 789, 2116
- in acid pit lake water 2116
- in gas field brine 727
- in groundwater 41, 261, 691, 767, 933, 1496
 - for geochemical exploration 767
- in hydrocarbons 1427
- in landfill leachate 933
- in moss 1597
- in peat 673, 1597
- in peat waters 1597
- in precipitation 691
- in pyrite 23
- in surface water 261, 691, 789, 1597, 2116
- in thermal water 23
- use to identify sources of S in drainage 789
- use to identify sources of SO_4 in post drought pulses 691

Salamanca, Spain 465, 487

Salinity crisis, Jordan River 2138

Samario-Sitio oil field, Mexico 1077

San Bernadino Basin, Arizona, U.S.A./Sonora, Mexico 2217

Sardinia, Italy 317, 507

Saskatchewan, Canada 947, 1131

Sb

- in acid mine/rock drainage precipitates 1320
- in fertiliser 1473
- in fluvial sediment 2157
- in pit wall minerals 135
- in soil 1258

Sc

- in acid mine/rock drainage precipitates 179
- in fluvial sediment 2157
- in soil 1258

Scotland, U.K.

Mull 673

Shetland Islands 1597

- Se
 - in fertiliser 1473
 - in fluvial sediment 2157
 - in groundwater 1560, 1848
 - removal from wetlands 569
- Sea of Galilee, Israel 2138
- Seine Estuary, France 1195
- Seobo mining area, Chungcheongbuk-do Province, Korea 1687
- Sequential extraction
 - of As from soil 229
 - of fault fracture filling, to assess element mobility 487
- Sequential factor analysis, for geochemical data sets 2233
- Sequestration, of CO₂ 317, 1131, 2038
- Shandong Province, China 169
- Shenandoah Valley, Virginia, U.S.A. 123
- Shetland Islands, Scotland, U.K. 1597
- Shield brines, origin of 749
- Si
 - in acid mine/rock drainage 275, 789, 1368, 2116
 - in acid mine/rock drainage precipitates 179, 383, 789, 1320
 - in acid pit lake water 2116
 - in gas field brine 727
 - in groundwater 55, 241, 295, 317, 423, 465, 875, 989, 1077, 1496, 1658, 2063, 2217, 2283, 2325
 - in mine waste pore water 2303
 - in mineral water 875
 - in road sediment 849
 - in surface water 789, 1077, 1320, 2116, 2325
 - in tailings treatment sludge 973
 - in thermal water 23, 423, 1607
 - release from aquifer sediment 989
- Singapore 229
- Skouriotissa Mine, north Cyprus 101
- Slovenia 627
 - Krko Basin 1106
- Sm, in fertiliser 1473
- Smelter waste, contamination of rivers from 919
- Sn
 - geochemical map of 1017
 - in acid mine/rock drainage precipitates 179, 789
 - in fluvial sediment 2157
- SO₄
 - in acid mine/rock drainage 275, 383, 789, 907, 1320, 1368, 2116
 - in acid mine/rock drainage precipitates 383
 - release from 383
 - in acid pit lake water 2116
 - in coal mine drainage 1445
 - in coal spoil leachate 825
 - in gas field brine 727
 - in groundwater 41, 241, 261, 295, 317, 423, 465, 701, 767, 825, 861, 875, 989, 1077, 1180, 1409, 1496, 1570, 1658, 1831, 1985, 2063, 2217, 2283, 2325
 - for quantifying river/groundwater exchange 701
 - sources of 261
 - in mine waste pore water 2303
 - in mineral water 875

Subject Index

- in peat waters 673, 1120, 1597
 - in precipitation 2325
 - in sewage treatment plant effluent 2138
 - in surface water 207, 507, 701, 789, 919, 1077, 1180, 1320, 1391, 1409, 1570, 1597, 1746, 2138, 2325
 - in tailings 639
 - in thermal water 23, 423, 1607, 2138
 - release from schwertmannite 179
 - retention in wetland 1241
- Soil pollution, identification of 1258
- Somma-Vesuvio, Italy 1060
- South China Sea 1639, 1848
- Sonora, Mexico 2217
- Spain 627, 1473
 - Almeria 2253
 - Aznalcóllar 1648
 - Cácares 397
 - Catalonia 1648
 - Huelva 1320
- Sporades Basin, Greece 69
- Sr
 - in acid mine/rock drainage 789
 - in acid mine/rock drainage precipitates 179, 383, 789
 - in aquifer sediment/rock 295, 2325
 - in fault fracture filling 487
 - in fertiliser 1473
 - in fluvial sediment 1489, 2157
 - in fly ash 1309
 - in gas field brine 727
 - in groundwater 55, 295, 317, 465, 749, 767, 1077, 1571, 1848, 2063, 2283, 2325
 - in ice 749
 - in marine sediment 69
 - in mollusc shells 1965
 - in oilfield water 1518
 - in precipitation 749, 1571
 - in salt marsh sediment 1195
 - in shield brines 749
 - in surface water 507, 789, 1571, 2325
 - in thermal water 1607
 - to determine weathering rates of carbonates 2325
- ⁸⁷Sr
 - in aquifer sediment/rock 295, 2325
 - in carbonates 2252, 2325
 - in gas field brine 727
 - to determine origin 727
 - in groundwater 295, 749, 767, 1571, 2063, 2325
 - as hydrological tracer 295, 1571
 - for geochemical exploration 767
 - temporal variations of 2063
 - in ice 749
 - in precipitation 749, 1571
 - in shield brines 749
 - in surface water 1571, 2325
 - in volcanic rocks 2252
 - to determine formation temperature in bentonite barrier analogue 2253

- to determine weathering rates of carbonates 2325
- to show water rock interaction 749
- ⁹⁰Sr
 - atmospheric deposition flux 1965
 - in mollusc shells 1965
 - in sea water, temporal variations 1965
- Sri Lanka 1489
- Statistical tests for large data sets
 - histograms for assessing skewness 1857
 - identification of sub populations 1857
 - probability plots for characterising outliers 1857
- St. Lawrence River 1391
- Stockholm, Sweden 1907
- Sweden 341, 749, 1473
 - Äspö 2003
 - Kristineberg mine 179, 973
 - Norrbottn 275
 - Stockholm 1907
- Switzerland 1473
 - Canton Jura 443, 713, 961, 2351
 - Canton Valais 701
 - Canton Zürich 443, 961, 1158, 2351
 - Rhone River 701
- Syria 2138
- Ta, in fluvial sediment 2157
- Tailings
 - acid generating capacity of 661
 - release of metals from 639
 - remediation 973
- Tamil Nadu, India 221
- Tarim Basin, China 545
- Tb
 - adsorption 1209
 - in fertiliser 1473
- Te, in till 1714
- Tennessee, U.S.A. 861
- Texas, U.S.A. 1965
- Th
 - in acid mine/rock drainage 1320
 - in fertiliser 1473
 - in fluorite 1099
 - in fluvial sediment 611, 2157
 - retention by calcite 2097
 - sorption, effect of organic matter on 443
- Thermal water
 - evolution of 23
 - hydrocarbons in 2049
 - secondary mineral-fluid equilibria in 1607
- Thessaloniki, Greece 69
- Thrace Basin, Turkey 2017
- Ti
 - in acid mine/rock drainage 1320
 - in acid mine/rock drainage precipitates 179, 789, 1320
 - in fertiliser 1473

- in road sediment 849
 - in salt marsh sediment 1195
- Tl

 - in fluvial sediment 1489, 2157
 - in gas field brine 727
 - in soil 1258
- Trace metals, flux of, in river 1391
- Triterpenoids

 - in coal 367
 - in mudstone 367
- Trona, formation of, role of CO₂ in 2217
- Troodos massif, Cyprus 1292
- Tunisia 1974
- Turkey, Thrace Basin 2017
- Turpan Basin, China 455
- Tuscany, Italy 41, 875
- Tyrrhenian Sea, Italy 1831
- U

 - geochemical map of 1017
 - immobilization, modelling of 1268
 - in acid mine/rock drainage 1320
 - in fault fracture filling 487
 - in fertiliser 1473
 - in fluorite 1099
 - in fluvial sediment 611, 2157
 - in groundwater 465, 2283
 - in surface water 917
 - mobility at natural analogue site 487
- U-Th/He, for dating fluorite 1099
- United Kingdom

 - England 673, 841, 933, 1195, 2207
 - Scotland 673, 1597
- Urban pollution 69, 849, 1017, 1051, 2315
- U.S.A. 537, 1560, 1848

 - Alabama 1965
 - Alaska 627
 - Arizona 207, 2217
 - California 1461, 1496
 - Colorado 207
 - Georgia 1571, 2315
 - Hawaii 2157
 - Kansas 2325
 - Kentucky 1309
 - Louisiana 1965
 - Maine 1985
 - Maryland 1445
 - Montana 907, 2116
 - Nevada 423, 1099, 1626, 1677, 2217
 - New Mexico 207, 1704, 2217
 - New York State 1120
 - Ohio 353
 - Pennsylvania 1445, 1920, 1941
 - Tennessee 861
 - Texas 1965

Subject Index

Utah 207, 569
Virginia 123, 1965
Washington State 193, 1357, 1677
Utah, U.S.A. 207, 569
Uttar Pradesh, India 221

V

in acid mine/rock drainage 1320
in acid mine/rock drainage precipitates 179, 789, 1320
in fault fracture filling 487
in fertiliser 1473
in fluvial sediment 1, 2157
in fly ash 1309
in gas field brine 727
in groundwater 989
in marine sediment 69
in soil 1258
in surface water 1320, 2315
 suspended particulate matter 2315
in till 341
release from aquifer sediment 989
Virginia, U.S.A. 123, 1965

W

in acid mine/rock drainage precipitates 179, 383
in fault fracture filling 487
in fertiliser 1473
in groundwater 423
in surface water 423
in thermal water 423
possible effect on human health 423
Washington State, U.S.A. 193, 1357, 1677
Washoe County, Nevada, U.S.A. 1626
Waste disposal
 CO₂ sequestration 317, 1131, 2038
 landfill, leachate from 933
 nuclear 89, 193, 409, 443, 465, 487, 919, 1158, 1209, 1357, 1677, 1704, 2003, 2082, 2097, 2252, 2283, 2351
Waste water, contamination of surface waters 1587
Water-rock interaction 295, 465, 749, 1060, 1131, 2063
Watershed,
 geochemistry of 1746
 hydrograph separation in 1746
 modelling geochemical and environmental behaviour in 1746
 erosion in 1746
Waxes, in crude oil storage tanks 1974
Weathering
 of alluvial plain sediments 1
 of karst 1831
 of olivine rock 1284
 of pyrrhotite 109
 rates of carbonates 2325
West Bengal 1890
Western Australia 661
Weyburn oilfield, Saskatchewan, Canada 1131

Xe, in groundwater 1461

Y

- in acid mine/rock drainage precipitates 179
- in fault fracture filling 487
- in fertiliser 1473
- in fluvial sediment 1, 2157

Yb

- in fertiliser 1473
- in fluvial sediment 2157

Yell, Shetland Islands, Scotland, U.K 1597

Yodogawa River, Japan 295

Yorkshire, England, U. K. 673

Yucca Mountain, Nevada, U.S.A. 1099, 1677

Zambezi River 1241

Zambia, Copperbelt Province 1241

Zechstein evaporites, as a source of S in groundwater 261

Zn

- attenuation/release, by mine waste 1687
- geochemical map of 1017
- in acid mine/rock drainage 789, 907, 1320, 1368, 1533, 2116
- in acid mine/rock drainage precipitates 179, 789, 907, 1320, 1533
- in acid pit lake water 2116
- in coal mine drainage 1445
- in coal mine drainage precipitates 1445
- in fault fracture filling 487
- in Fe oxide/hydroxide precipitates 1180
- in fertiliser 1473
- in fluvial sediment 1, 1737, 2157
- in fly ash 1309
- in gas field brine 727
- in groundwater 465, 789, 1180, 1560, 1848
- in marine sediment 69
- in pit wall minerals 135
- in poultry litter 123
- in road sediment 849
- in salt marsh sediment 1195
- in soil 123, 1051, 1258, 1687, 1890, 1907
 - release from 1687
- in surface water 507, 789, 919, 1180, 1320, 1391, 2116, 2315
 - suspended particulate matter 1391, 2315
- in tailings 639
- in till 341, 1714
- release from anoxic fluvial sediment 1169

Zr

- in acid mine/rock drainage precipitates 179
- in fluvial sediment 1, 1489
- in fly ash 1309
- in salt marsh sediment 1195

Zr-rich ceramics

- alteration of 899
- use in nuclear waste repository 899

AUTHOR INDEX

(B-Book review; E-Erratum; P-Preface)

- Accornero M. 1368
 Adachi K. 849
 Adamová M. 673
 Aduvire O. 1320
 Aeschbach-Hertig W. 599
 Agarwala P. 1890
 Aiken G. R. 1496
 Albanese S. 611
 Alemayehu T. 1658
 Alonso M. S. 989
 An Z. 519
 Anagnostou C. L. 69
 Andrew A. S. 671 (P), 727
 Angelone M. 317
 Angulo M. 1077
 Anthony S. S. 2157
 Aquilina L. 2189
 Arnórsson S. 1607
 Arno-Synal H. 599
 Audry S. 919
 Avino R. 1060
 Ayenew T. 1658
 Ayoro C. 1648
- Baeyens B. 443, 2351
 Balderer W. 1292
 Baneschi I. 875
 Banwart S. A. 2003
 Barbe C. 899
 Barbieri, M. 2063
 Barclay S. A. 727
 Baretino D. 1320
 Barros A. J. 989
 Bartlett R. 1597
 Baublys K. A. 789
 Bauer A. 1058
 Baskaran M. 1965
 Beaucaire C. 587, 2097
 Behar F. 2097
 Bell R. R. 529
 Berner Z. A. 1890
 Berry M. D. 727
 Bertrand C. 825
 Bhattacharya V. 221
 Biester H. 1546
 Birkle P. 1077
 Blackford M. G. 899
 Blanc G. 919
 Blowes D. W. 639
 Boronina A. 1292
- Boschetti T. 2063
 Bottrell S. 673, 1427, 1597
 Bouchet A. 89
 Boukadi A. 1974
 Bradbury M. H. 2082, 2351
 Bril H. 383
 Brissaud F. 1587
 Brown B. L. 123
 Brown G. E. Jr. 193
 Brown J. 1533
 Brown P. L. 275
 Bruno J. 1284
 Buckau G. 1158
 Bullen T. D. 2138
 Bustillo V. 1746
 Byrne J. 1099
- Cai C. 1427
 Caliro S. 1060
 Callender E. 2315
 Camprubi A. 23
 Canals A. 1473
 Cao Y. 519
 Capaccioni B. 2049
 Capelli G. 1831
 Capo R. C. 1445
 Cappuyns V. 1169
 Cardellani C. 1060
 Carey P. J. 1195
 Caritat P. de 767
 Carlsson E. 973
 Carr G. 767
 Carrillo-Chávez A. 23
 Casanova J. 749
 Casas I. 1284
 Cassagnabère A. 89
 Castendyk D. N. 135
 Catalano J. G. 193
 Chandrasekharam D. 1890
 Chang C.-W. 1637
 Charman R. 1195
 Chaudhary V. 221
 Chen J. 1051
 Cheng B. 1848
 Cheng Z. 353
 Chica-Olmo M. 157
 Chillrud S. N. 807, 1985
 Chiodini G. 1060
 Choi S.-H. 1687
 Christensen A. H. 1496

Author Index

- Ciavatta C. 537
 Cicchella D. 611
 Claret F. 1158
 Clayton C. 2017
 Clement A. 409
 Cline J. S. 1099
 Corcho-Alvarado J. A. 599
 Cortecci G. 41
 Cortina J. L. 1648
 Cossa D. 1391
 Costello A. M. 1120
 Coulson J. 1597
 Courtin-Nomade A. 383
 Covelli S. 1546
 Cózar J. S. 465, 487, 2252
 Craw D. 1533
 Cravotta C. A. (III) 1920, 1941
 Crespo M. T. 487
 Cruz R. 109
 Cundy A. B. 841, 1195

 Datta S. 1985
 De Cannière P. 2097
 De Carlo E. H. 2157
 Delgado A. 465, 2252
 Delitala M. C. 1831
 Deniau I. 587, 2097
 Denimal S. 825
 de Pablo J. 1284, 1648
 Derenne S. 587
 Dissanayake C. B. 1489
 Doi M. 2207
 Donisa C. 1258
 Dörfliger N. 2189
 Duro L. 1284
 Durocher K. 1131
 Džeroski S. 1106

 Earman S. 2217
 Edraki M. 789
 El Aamrani F. 1284
 Elbaz-Poulichet F. 1587
 Elmers J. L. 669 (E)
 Elmore D. 1461
 Emberley S. 1131
 Emiroğlu H. 2017
 España J. S. 1320
 Evans N. J. 1099

 Farber E. 2138
 Felmy A. R. 1357
 Feng X. 627
 Fernández-Díaz M. 487
 Fernández-Soler J. M. 2252
 Fette M. 701
 Fey D. L. 207
 Filippelli G. 2108
 Filzmoser P. 2233
 Finnie K. S. 899
 Fléhoc C. 713
 Flury M. 1357
 Flynn R. 261
 Foland K. A. 353
 Francioso O. 537
 Fritz H. B. 409
 Frondini F. 1060
 Fullagar P. D. 1571
 Furue R. 2283

 Gagnon P. 1391
 Gambardella B. 875
 Gammons C. H. 2116
 Garbarino J. R. 423
 García-González M. T. 397
 Garralón A. 465
 Garrido F. 397
 Gasparini C. 317
 Gaucher E. 713
 Gavrieli I. 2138
 Gehre M. 261
 Geng A. 455
 Gibert O. 1648
 Giblin A. M. 727
 Giménez J. 1284
 Gioacchini P. 537
 Girard J.-P. 713
 Glaus M. A. 443
 Goh K.-H. 229
 Golding S. D. (P) 671, 789
 Gómez P. 465
 González I. 109
 González-Partida E. 23
 Gosselin N. 947
 Graham E. Y. 2315
 Grassi S. 41
 Gray J. E. 207
 Greger M. 101
 Greskowiak J. 1409
 Grischek T. 261
 Grosbois C. 383
 Grossman J. N. 1857
 Grünfeld K. 341
 Gudmundsson B. T. 1607
 Guerra M. 317
 Gunter W. D. 1131
 Gúrgey K. 2017

Author Index

- Harmon R. S. 817 (P)
 Harsh J. B. 1357
 Heaton T. H. E. 933
 Helsel D. 1560
 Helz G. R. 1218
 Hemming N. G. 807
 Heppell C. M. 1195
 Hinde J. 1857
 Hinsby K. 599
 Hochart M. 825
 Hodson M. E. 2207
 Hoehn E. 701
 Hofer M. 599
 Holmes C. W. 207
 Holmström H. 973
 Holtzman R. 2138
 Hong G.-H. 1965
 Hopkinson L. 841, 1195
 Hower J. C. 1309
 Huang C.-Y. 1637
 Huerta-Diaz M. A. 2108
 Hunter K. 1533
 Hutcheon I. 1131, 2154 (B)
- Iijima K. 961
 Illera V. 397
 Imai N. 1017
 Ioka S. 2283
 Iwatsuki T. 2283
 Izbicki J. A. 1496
- Jacks G. 221
 Jacquot E. 89
 Jambor J. L. 639
 Jeffries D. S. 691
 Ji G. L. 169
 Ji J. 1051
 Jiang X. 169
 Johansson L. 101
 Johnston C. D. 1409
 Jönsson J. 179
- Kaberi H. 69
 Kairies C. L. 1445
 Kang M.-J. 1687
 Karageorgis A. P. 69
 Kebede S. 1658
 Keimowitz A. R. 1985
 Kharaka Y. K. 2038
 Kim S.-H. 1965
 Kinniburgh D. G. 989
 Kipfer R. 599, 701
 Kirby C. S. 1920, 1941
- Kirste D. 767
 Kobal I. 1106
 Kupsch H. 1209
 Kyaw-Myint T. O. 55
- Ladouche B. 2189
 Lafite R. 1195
 Langmuir D. 947
 Largeau C. 587, 2097
 Lasorsa B. K. 207
 Latimer J. 2108
 Lauber M. 443
 Lawrence M. G. 789
 Lee L. 1560
 Lee P.-k. 1687
 Lee T.-Q. 1637
 Lei L. 661
 Leturcq G. 899
 Levresse G. 23
 Li L. 519
 Li Q. 553
 Li S. 545
 Li X. 1427
 Liang D. 1875
 Lim T.-T. 229
 Lima A. 611
 Lindberg M. J. 1677
 Linklater C. M. 275
 Lippold H. 1209
 Liu D. 455
 Liu W. 519
 Liu X. 1848
 Lolacano N. 807
 Lombardi S. 317
 Lövgren L. 179
 Lowry D. 55
 Lyons W. B. 2315
- Macdonald D. M. J. 989
 Macpherson G. L. 2325
 Mahoney J. 947
 Mallén G. 261
 Manheim F. T. 1857
 Marden S. M. 1309
 Marie A. 2138
 Marini L. 875, 1368
 Marshall B. D. 1039 (E)
 Martinez C. 2049
 Mashal K. 1357
 Massmann G. 1409
 Mathews S. A. 1704
 Mauk J. L. 135
 Mayer B. 1131, 2138

Author Index

- McArthur J. M. 55
 McCartney R. A. 1518
 McCulloch M. 767
 McGlinn P. J. 899
 McInnes B. I. A. 1099
 McPherson B. J. O. L.
 Merz C. 241
 Messios N. 101
 Meunier A. 89
 Meyer P. D. 1677
 Michau N. 409
 Mie H. 2283
 Miller J. 569
 Mizuno T. 2283
 Moline G. R. 861
 Moncur M. C. 639
 Monroy M. 109
 Montecchio D. 537
 Montes-H G. 409
 Moorbath S. 819
 Moran J. E. 1461
 Mortatti J. 1746
 Mudry J. 825
 Müller N. 1209
 Müller W. 961
- Naftz D. L. 569
 Nakano T. 295
 Négrel P. 749
 Nestler W. 261
 Neuberger C. S. 1218
 Neumann K. 2315
 New M. G. 1241
 Newhouse M. W. 1496
 Neymark L. A. 1039 (E)
 Nickson R. T. 55
 Nicolli H. B. 989
 Ning Y. 519
 Norra S. 1890
 Norrström C. A. 1907
 Novák M. 673
 Noyes S. 569
 Núñez R. 465
 Nützmann G. 1409
- O'Connor P. 1737
 Öhlander B. 973
 Ohta A. 1017
 Okubo S. 255
 Østvold T. 1518
 Otero N. 1473
 Ottonello G. 1368
 Ouddane B. 1195
- Paces J. B. 1039 (E)
 Palandri J. L. 2038
 Pal-Verma M. 23
 Pamo E. L. 1320
 Pan C. 455
 Paquette Y. 825
 Pardo-Igúzquiza E. 157
 Parker K. E. 1677
 Parnell R. A. Jr. 907
 Pearce J. M. 989
 Pearce N. 453 (B)
 Peiffer S. 1226
 Pekdeger A. 241, 1409
 Pelayo M. 2252
 Pellicori D. A. 2116
 Peng D. 1875
 Peng P. 455
 Pérez del Villar L. 465, 487, 2252
 Perkins E. H. 1131
 Persson P. 179
 Peterman Z. E. 1039 (E)
 Petitta M. 2063
 Pham T. T. 1391
 Phillips F. M. 2217
 Philp R. P. 367, 1974, 2017
 Piani R. 1546
 Pistre S. 1587
 Pitsch H. 587, 2097
 Pizzino L. 317
 Podda F. 507
 Poulson S. R. 2116
 Primavera P. 1831
 Prommer 1409
 Ptacek C. J. 639
 Puigdomenech I. 2003
 Purtschert R. 599
- Qin Z. 1051
 Qiu G. 627
 Quattrocchi F. 317
 Quejido A. J. 487, 2252
- Rabiet M. 1587
 Rabung T. 443, 1158
 Ramirez S. 89
 Ramirez-Silva G. 23
 Ranasinghe P. N. 1489
 Raya J. 465
 Regensburg S. 1226
 Renard P. 1292
 Reyes E. 465, 2252
 Reyes J. 132

Author Index

- Rivas Perez J. 2003
 Rondeau B. 1391
 Roquin C. 1746
 Rose S. 1571
 Rosenbauer R. J. 2038
 Ross J. M. 807, 1985
 Roussel C. 383
 Rovira M. 1284
 Rowson J. 947
 Rupasinghe M. S. 1489
- Sacchi E. 317
 Salvage K. 1268
 Salvati R. 1831
 Salzsauler K. A. 2303
 Sánchez L. 465
 Sander S. 1533
 Santofimia E. 1320
 Santschi P. H. 1461
 Sañudo-Wilhelmy S. A. 2108
 Sarala P. 1714
 Saripalli K. P. 1677
 Saunders G. C. 529
 Schäfer J. 919
 Schäfer T. 1158
 Schiff S. L. 683, 691
 Schreiber M. E. 123
 Schroth A. W. 907
 Schubert C. J. 701
 Schuhmacher P. 241
 Schwehr K. A. 1461
 Segal M. 2138
 Seidel J.-L. 1587
 Seiler R. L. 423, 1626
 Semkin R. G. 691
 Shang L. 627
 Sharma M. 1
 Shavit U. 2138
 Shcherbakova E. 973
 Shell D. 1195
 Sherriff B. L. 1180, 2303
 Shevalier M. 1131
 Shrestha B. 55
 Sidenko N. V. 1180, 2303
 Siegel D. I. 1120
 Simoneit B. R. T. 2343
 Simpson H. J. 1985
 Sinclair D. J. 275
 Singh K. P. 221
 Singh M. 1
 Siyako M. 2017
 Sjöbakk T. E. 1258
 Sjöberg S. 179
- Slaughter A. D. 123
 Smedley P. L. 989
 Soler A. 1473
 Solomon D. K. 861
 Spencer K. 1195
 Spoelstra J. 691
 Spruill T. B. 669 (E)
 Steinmann M. 825
 Steinnes E. 1258
 Stichler W. 1292
 Stollenwerk K. G. 423
 Stoltz E. 101
 Stüben D. 1890
 Stute M. 1985
 Su A. 1875
 Sun L. 1848
 Surette C. 1391
 Swennen R. 1169
- Tachibana Y. 1017
 Tainosho Y. 849
 Tallini M. 2063
 Tardy Y. 1746
 Tase N. 295
 Tassi F. 2049
 Taylor J. A. 1195
 Tello-Hinojosa E. 23
 Terashima S. 1017
 Tesoriero A. J. 669 (E)
 Thanh N. X. 1974
 Thomas G. A. 1309
 Tian Q. 1051
 Tits J. 2082
 Tobschall H. J. 1
 Todorova S. G. 1120
 Todorovski L. 1106
 Tomlinson M. S. 2157
 Touray J.-C. 1687
 Tovar-Sánchez A. 2108
 Travi Y. 1658
 Trettin R. 261
 Trick J. K. 933
 Trimble A. S. 1309
 Tritlla J. 23
 Troidborg L. 599
 Tsang M. 1985
 Tsige M. 2252
 Tuccimei P. 1831
 Tullio J. O. 989
 Tuo J. 367, 553
- Ulliyott S. 1195

Author Index

- Van der Hoven S. J. 861
 van Gaans P. F. M. 2233
 van Helvoort P.-J. 2233
 Van Loon L. R. 443, 961, 2351
 Vaselli O. 2049
 Vaupotič J. 1106
 Venegas-Salgado S. 23
 Vengosh A. 2138
 Venkiteswaren J. J. 683
 Victoria R. 1746
 Vieillard P. 89
 Viramonte J. 2049
 Vitòria L. 1473
 von der Heyden 1241

 Wagner F. 1890
 Wall N. A. 1704
 Wallace S. 807
 Wang D. 1427
 Wang S. 627
 Wang Y. 1258
 Wardle W. J. 1965
 Warner J. A. 193
 Warren G. 2207
 Watkins R. 661
 Watzlaf G. R. 1445
 Webster J. G. 135
 Wehrli B. 701
 Weng H. 1875
 Whelan J. F. 1039 (E)
 Whitford D. J. 727
 Widerlund A. 973
 Wieder R. K. 673
 Wieland E. 2082
 Williams G. M. 933

 Wilson N. S. F. 1099
 Winkler A. 241
 Wolf M. 1058
 Wolff G. A. 1427
 Wood H. K. 2325
 Worden R. H. 1427
 Wu X. 1051
 Wu Y. 1051

 Xie Z. 1848
 Xiong Y. 455
 Xydas C. 101

 Yahnke J. 569
 Yamanaka M. 295
 Yang H. 519
 Yin X. 1848
 You C.-F. 1637

 Zárate-del Valle P. F. 2343
 Zhang Chaosheng 1737, 1857
 Zhang Chunming 545
 Zhang J. 545
 Zhang P. 1848
 Zhao H. 545
 Zhao S. 1848
 Zhou J. 519
 Zhu M.-X. 169
 Zhu Y. 1875
 Živič M. 1106
 Zmazek B. 1106
 Zuccolini M. V. 1368
 Zuddas P. 507
 Zuppi G. M. 317

